

62.61

LIBRARY
RECEIVED
★ APR 2 - 1954
U. S. Department of Agriculture

1954

**Wholesale
PRICE LIST**

**WOODLEA
NURSERY**

Higbie Lane

BABYLON, L. I., N. Y.

Phone: BABylon 6-0182

Prices in this list are net, F.O.B.
our Nursery, subject to change
without notice.

STOCK especially selected will
be priced according to value irre-
spective of the listed prices.

This catalogue cancels all previous quotations.

PRICES in this list are net, F.O.B. our Nurseries, subject to change without notice.

STOCK especially selected will be priced according to value irrespective of the listed prices.

TERMS, Cash.

TRUCKING and PACKING is additional at cost.

GUARANTEE:

As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

BALLING and BURLAPPING

B & B. ball and burlap:—is free of charge with all evergreens and also with deciduous stock where specified “B & B”. A charge will be made for digging deciduous stock with ball and burlap where not specified “B & B”, as per the following schedule:-

Shrubs		Trees
2 to 3 ft.	.40	Diam. Ball
3 to 4 ft.	.50	15 in. 3.00
4 to 5 ft.	.70	18 in. 4.00
5 to 6 ft.	1.00	24 in. 7.00
6 to 8 ft.	1.75	30 in. 10.00
		36 in. 16.00
		42 in. 25.00

PLATFORMS:—The cost of the platforms is in addition to above prices, but will be rebated if returned to the Nursery.

ABIES douglasii (see PSEUDOTSUGA)		
veitchii		Veitch Fir
5-6 ft.	each	7.00
6-8 ft.	each	12.00
ACER platanoides		Norway Maple
2½-3 in. cal.	each	15.00
3½-4 in. cal.	each	18.00
AESCHYLUS pavia rubra		Red Buckeye
3-4 ft. B & B	each	3.00
4-5 ft. B & B	each	4.00
ALBIZZIA julibrissin rosea	Hardy Pink Mimosa	
6-7 ft.	each	4.00
AMELANCHIER canadensis	Downy Shadblow	
3-4 ft. B & B	each	2.00
ARONIA arbutifolia		Red Chokeberry
3-4 ft.	each	.60
4-5 ft.	each	1.00
melanocarpa		Black Chokeberry
3-4 ft.	each	.60
4-5 ft.	each	1.00
5-6 ft.	each	1.50
AZALEA calendulacea—yellow to orange		Flame Azalea
1½-2 ft.	each	2.50
kaempferi fedora—deep rose		
15-18 in.	each	2.50
1½-2 ft.	each	3.00
2-2½ ft.	each	4.50
mollis, seedlings		Chinese Azalea
red, yellow, salmon-orange		
12-15 in.	each	2.50
15-18 in.	each	3.00
1½-2 ft.	each	4.00
MOLLIS HYBRIDS		
ANTHONY KOSTER—deep yellow 15-18 in.		
CHEVALIER DE REALI—yellow 12-15 in., 15-18 in.		
COMTE DE QUINCEY—yellow 15-18 in.		
DR. REICHENBACH—salmon-orange 12-15 in.		
EMIL LIEBIG—yellowish orange 15-18 in.		
FRANS VAN DER BOM—salmon-orange 1½-2 ft.		
GENERAL VETTER—orange-red 1½-2 ft.		
HORTELANUS H. WITTE—orange-yellow		
1½-2 ft.		
HUGO KOSTER—salmon-red 15-18 in.		
J. C. VAN TOL—red 12-15 in.		
T. J. SEIDEL—salmon-orange 1½-2 ft.		
W. E. GUMBLETON—nanking yellow 12-15 in.,		
15-18 in.		
12-15 in.	each	2.50
15-18 in.	each	3.00
1½-2 ft.	each	4.00
PONTICA HYBRIDS		Ghent Azalea
NANCY WATERER—golden yellow—12-15 in.,		
15-18 in.		
UNIQUE—yellow—12-15 in., 15-18 in.		
12-15 in.	each	2.50
15-18 in.	each	3.00

AZALEA	poukhanensis—lilac	Korean Azalea
1½-2	ft.	3.00
2-2½	ft.	3.50
2½-3	ft.	4.00
3-3½	ft.	5.00
vaseyi—delicate pink		Pinkshell Azalea
1½-2	ft.	2.50
BERBERIS	koreana	Korean Barberry
2-2½	ft.	.60
2½-3	ft.	.75
thunbergi atropurpurea		Red-leaf Japanese Barberry
15-18	in.	.40
BETULA	alba pendula youngi	Young's Weeping Birch
5-6	ft. B & B	4.00
5-6	ft. B & B	5.00
populifolia		Gray Birch
5-6	ft. B & B, 3 stem	4.00
6-7	ft. B & B, 3 stem	6.00
BLUEBERRY	hybrid varieties	
2-3	ft.	2.00
3-4	ft.	3.00
BUXUS	semperfirens	Common Boxwood
1½-2	ft.	each 3.00
3½	ft. sheared, heavy	each 12.00
CERCIS	canadensis	American Redbud
2-3	ft.	1.00
CHAMAECYPARIS (RETINOSPORA)		
obtusa nana		Dwarf Hinoki Cypress
6-8	in.	1.20
8-10	in.	1.80
10-12	in.	2.50
12-15	in.	3.50
15-18	in.	4.50
pisifera aurea		Golden Sawara Cypress
6-7	ft.	each 10.00
7-8	ft.	each 12.00
—plumosa		Plume Cypress
2-2½	ft.	2.50
2½-3	ft.	3.00
3-3½	ft.	3.50
— — aurea		Golden Plume Cypress
1½-2	ft.	2.00
2-2½	ft.	2.50
2½-3	ft.	3.00
3-3½	ft.	3.50
3½-4	ft.	4.00
4-4½	ft.	4.50
4½-5	ft.	5.00
CHERRIES	Schmidt's Biggereau	3.00
CORNUS	florida	White Flowering Dogwood
3-4	ft. B & B	3.00
4-5	ft. B & B	4.00
5-6	ft. B & B	6.00
10-12	ft. B & B	9.00-12.00
12-14	ft. B & B	12.00-20.00
14-16	ft. B & B	15.00-25.00

CORNUS	florida rubra Red Flowering Dogwood	
2½-3	ft. B & B	3.00
kousa		Kousa Dogwood
3-4	ft. B & B	2.50
4-5	ft. B & B	3.00
5-6	ft. B & B	5.00
mas		Cornelian Cherry
3-4	ft. B & B	2.00
4-5	ft. B & B	2.50
5-6	ft. B & B	3.50
6-7	ft. B & B	4.00- 6.00
COTONEASTER	adpressa praecox	
Probably the most graceful of spreading		
Cotoneasters, in the fall heavily loaded		
with large bright red berries.		
15-18	in. potgrown	2.00
1½-2	ft. potgrown	3.00
2-2½	ft. potgrown	4.00
franchetti		Franchet Cotoneaster
1½-2	ft. potgrown	1.30
2-2½	ft. potgrown	1.80
salicifolia		Willowleaf Cotoneaster
1½-2	ft. potgrown	2.00
2-3	ft. potgrown	2.50
CRATAEGUS	cordata	Washington Thorn
8-10	ft. B & B	9.00
10-12	ft. B & B	12.00
oxyacantha	Pauli	Paul's Scarlet Hawthorn
5-6	ft. B & B	4.00
CYDONIA	japonica (chaenomeles lagenaria)	
		Flowering Quince
1½-2	ft.	.80
2-3	ft.	1.25
DEUTZIA	gracilis	Slender Deutzia
15-18	in. B & B	.70
1½	ft. B & B	1.00
lemoine		
1½	ft.	.70
ENKIANTHUS	campanulatus	
		Redvein Enkianthus
2½-3	ft. B & B	3.00
3-4	ft. B & B	3.50
EUONYMUS	yedoensis	Chinese Euonymus
2-3	ft.	1.00
FAGUS	sylvatica	European Beech
SHEARED SPECIMEN		
12-14	ft. B & B	35.00
14-16	ft. B & B	45.00
16-18	ft. B & B	50.00
FORSYTHIA	intermedia spectabilis	
		Showy Border Forsythia
4-5	ft.	.80
FRANKLINIA	alatamaha	Franklinia
4-5	ft. B & B	4.00
5-6	ft. B & B	5.00
GINKGO	biloba	Maidenhair-Tree
8-10	ft., 1¾ in. cal.	6.00
10-12	ft., 2 in. cal.	9.00

GLEDTISIA triacanthos inermis

Thornless Honeylocust

7-8 ft.	4.00
8-10 ft.	5.00

HALESIA tetraptera	Great Silverbell
5-6 ft. B & B	3.00

HYPERICUM moserianum	Gold-Flower
15-18 in. B & B	1.00

ILEX crenata	Japanese Holly
15-18 in.	2.00
1½-2 ft.	2.50
2-2½ ft.	3.00

—convexa (bullata)	Boxleaf Japan Holly
12-15 in.	each 1.80
15-18 in.	each 2.50

opaca	American Holly
4-5 ft.	6.00

JUNIPERUS chinensis columnaris	Column Chinese Juniper
2½-3 ft.	4.00
20-22 ft. specimen	each 75.00

—pfitzeriana	Pfitzer Juniper
15-18 in. spread	2.50

excelsa stricta	Spiny Greek Juniper
15-18 in.	2.00
1½-2 ft.	2.50

horizontalis Bar Harbor	Bar Harbor Juniper
12-15 in.	each 2.00

—plumosa	Plumed Spreading Juniper
15-18 in.	2.50
1½-2 ft.	2.50

squamata meyeri	Meyer Juniper
12-15 in.	1.50

KALMIA latifolia	Mountain Laurel
1½-2 ft.	2.50
2-2½ ft.	3.50
2½-3 ft.	5.00

KERRIA japonica pleniflora	Double Flowering Kerria
1½-2 ft. B & B	1.00

KOLKWITZIA amabilis	Beauty Bush
1½-2 ft. B & B	1.00
3-4 ft. B & B	1.50

LEUCOTHOE catesbaei	Drooping Leucothoe
12-15 in.	1.70

racemosa (ANDROMEDA rac.)	Sweetbells
2-3 ft. B & B	2.00

LIGUSTRUM ibota	Ibota Privet
2-2½ ft.	.40
3-4 ft.	.60
4-5 ft.	1.00

—regelianum	Regal Privet
1½-2 ft.	.40
2-2½ ft.	.50
2½-3 ft.	.70
3-4 ft. heavy	1.50

LONICERA <i>japonica halliana</i>		Hall's Honeysuckle
1½-2 ft., 3 in. pots20
ledebouri—orange-red	Ledebour Honeysuckle	
2-3 ft.70
MALUS		Flowering Crab Apples
floribunda—rosy white flowers, yellow fruit		
5-6 ft.	3.00- 4.00
scheideckeri—double rose flowers, yellow fruit		
5-6 ft.	3.00- 4.00
MYRICA <i>carolinensis</i>		Northern Bayberry
2-2½ ft. B & B	2.50
3-3½ ft. B & B	each 3.50
NYSSA <i>sylvatica</i>		Tupelo or Sour Gum
8-10 ft. B & B	each 10.00
PHILADELPHUS <i>coronarius</i>		Mock Orange
3-4 ft.60
10-12 ft. B & B	each 12.00
4-5 ft.80
5-6 ft.	1.20
grandiflorus	Large Flowering	Mock Orange
3-4 ft.60
4-5 ft.80
5-6 ft.	1.20
virginalis (Everblooming)		Virginal Mock Orange
3-4 ft.60
4-5 ft.80
PICEA <i>excelsa</i>		Norway Spruce
2-2½ ft.	2.00
2½-3 ft.	2.50
— <i>kosteri</i>		Koster's Blue Spruce
12-15 in.	3.50
8-9 ft.	each 60.00
PIERIS <i>floribunda</i>		Mountain Andromeda
12-15 in. spread	2.50
<i>japonica</i>		Japanese Andromeda
15-18 in.	2.50
<i>mariana</i>		Staggerbush
15-18 in. B & B	1.20
1½-2 ft. B & B	1.50
PINUS <i>jeffreyi</i>		
1½-2 ft.	3.00
PINUS <i>montana mughus</i>		Mugho Pine
12-15 in. spread	2.50
<i>strobus</i>		White Pine
2½-3 ft.	3.00
5-6 ft.	7.00
8-10 ft.	each 18.00
<i>thunbergi</i>		Japanese Black Pine
2-2½ ft.	3.00
6-8 ft.	each 20.00

STOCK especially selected will
be priced according to value.

PRUNUS glandulosa rosea fl. pl.		
	(AMYGDALUS nana)	
	Double Pink-flowering Almond	
2-3 ft.		1.20
PRUNUS persica atropurpurea	Bloodleaf Peach	
4-5 ft.		2.00
JAPANESE CHERRIES, double flowering		
serrulata	Oriental Cherry	
—AMANOGAWA—semi-double, pink, 5-6 ft.		
—KWANZAN—double pink, 5-6 ft.		
—SHIROFUGEN—double white, pink buds 4-5 ft.		
4-5 ft.		2.50
5-6 ft.		3.00
subhirtella pendula fl. pl.	Weeping Cherry	
6 ft., 2 year head		each 4.50
triloba plena	Double Pink-Flowering Plum	
3-4 ft.		2.00- 3.00
PSEUDOTSUGA douglasii	Douglas Fir	
2-2½ ft.		2.50
2½-3 ft.		3.00
3-4 ft.		4.00
RETINOSPORA (see CHAMAECYPARIS)		
RHODODENDRON carolinianum		
	Carolina Rhododendron	
15-18 in.		3.00- 4.00
1½-2 ft.		4.00- 5.00
catawbiense	Catawba Rhododendron	
15-18 in.		2.75
1½-2 ft.		3.50
2-2½ ft.		5.00
maximum	Rosebay Rhododendron	
1½-2 ft.		3.00
2-2½ ft.		3.50
2½-3 ft.		4.00
3-3½ ft.		5.00
RHODODENDRON HYBRIDS, well budded		
CARACTACUS—red, 15 in., 1½ ft.		
CATAWBIENSE ALBUM—white, 2 ft.		
CHARLES DICKENS—red, 1½ ft.		
Price 50% additional.		
DR. H. C. DRESSELHUIS—aniline red, 1½ ft.,		
2 ft.		
DR. V. H. RUTGERS—red, 15 in., 1½ ft.		
EDWARD S. RAND—red, 15 in., 1½ ft.		
EVERESTIANUM—rosy lilac, 15 in.		
F. D. GODMAN—dark red, 2 ft.		
GIGANTEUM—light red, 1½ ft., 2 ft.		
IGNATIUS SARGENT—light red, 1½ ft., 2 ft.		
PROFESSOR F. BETTEX—fine red, 15 in., 1½ ft.		
ROSEUM ELEGANS—rose pink, 15 in., 1½ ft.,		
2 ft., 2½ ft.		
15 in.		4.00
1½ ft.		6.00
2 ft.		8.00
2½ ft.		12.00

SORBUS aucuparia	European Mountain Ash	
8-10 ft. 1½ in. cal.		4.00
SPIRAEA arguta		Garland Spirea
2-3 ft.		.60
bumalda Anthony Waterer		Red Everblooming Spirea
1½-2 ft.		.50
2-2½ ft.		.70
prunifolia plena		Bridle Wreath
3-4 ft.		.80
4-5 ft.		1.20
thunbergi		Snowgarland-Thunberg Spirea
2-3 ft.		.60
3-4 ft.		.80
van Houttei		van Houttei Bridal Wreath
3-4 ft.		.60
SYMPHORICARPOS racemosus		Snowberry
2-3 ft.		.50
SYRINGA chinensis saugeana		Purple Chinese Lilac
3-4 ft. B & B		2.00
persica—pale lilac		Persian Lilac
3-4 ft. B & B		2.00
4-4½ ft. B & B		3.00
vulgaris		Common Purple Lilac
3-4 ft. light grade		1.20
3-4 ft. heavy B & B		3.00
4-5 ft. heavy B & B		4.00
5-6 ft. heavy B & B	each	5.00
vulgaris HYBRIDS		
(On own roots or grafted on Lilac)		
MME. LEMOINE—double, white, 2-3 ft., 3-3½ ft.		
LUDWIG SPAETH—single, reddish-purple, 2-3 ft.,		
2-3 ft. B & B		2.50
3-3½ ft. B & B		3.00
TAXUS baccata repandens		Spreading English Yew
15-18 in. sperad		3.00
cuspidata		Spreading Japanese Yew
15-18 in. spread		3.00
1½-2 ft. spread		4.00
2-2½ ft. spread	each	5.00
2½-3 ft. spread	each	6.00
—black #1		Vase Shape Spreading Yew
15-18 in.		2.50
1½-2 ft.		3.00
2-2½ ft.		4.00

STOCK especially selected will
be priced according to value.



TAXUS CUSPIDATA CAPITATA

Upright Japanese Yew

Sheared Trees 12 and 13 ft.





TAXUS cuspidata columnaris

sheared tree 18 ft. high, 4 ft. at base.

COLUMNAR JAPANESE YEW

Columnar form of the Japanese Yew.

With careful shearing a very slender, dense and very distinct looking tree can be produced with base only slightly wider than top, foliage is very dark, retaining its color all winter.

TAXUS CUSPIDATA CAPITATA

Upright Japanese Yew

2-2½ ft.	3.50
2½-3 ft.	4.50
3-3½ ft.	6.00
3½-4 ft.	8.00
4-4½ ft.	9.00
4½-5 ft.	12.00
5-6 ft.	15.00
6-7 ft.	20.00
7-8 ft.	25.00
7-8 ft. extra fine specimen	40.00
8-9 ft. extra fine specimen	50.00
9-10 ft. extra fine specimen	60.00
14-16 ft. extra fine specimen	130.00
16-18 ft. extra fine specimen	140.00
18-20 ft. extra fine specimen	150.00

TAXUS cuspidata columnaris

Columnar Japanese Yew

3½-4 ft.	8.00
4-4½ ft.	9.00
4½-5 ft.	12.00
5-6 ft.	15.00
6-7 ft.	20.00
7-8 ft.	25.00
7-8 ft. specimen	30.00
8-9 ft. specimen	40.00

cuspidata columnaris, flat tops (hicksi shape)

15-18 in.	2.00
1½-2 ft.	2.50
2-2½ ft.	3.00
2½-3 ft.	4.50
3-3½ ft.	6.00
3½-4 ft.	8.00
4-4½ ft.	9.00
4½-5 ft.	12.00
5-5½ ft.	15.00

—hicksi Hicks Yew

1½-2 ft.	2.75
2-2½ ft.	3.50

—intermedia, spreading form

12-15 in. spread	2.25
15-18 in. spread	3.00
1½-2 ft. spread	4.00
2-2½ ft. spread	5.00

—nana (brevifolia) Dwarf Japanese Yew

12-15 in. spread	2.25
12-18 in. spread	3.00
1½-2 ft. spread	4.50

—thayeri Thayers Yew

15-18 in. spread	3.00
1½-2 ft. spread	4.00

—visseri—compact, slow growing, heavy foliage
spreading type, better than nana

12-15 in. spread	2.25
15-18 in. spread	3.00
1½-2 ft. spread	4.00

THUJA compacta	Parsons Dwarf Arborvitae	
12-15 in.		1.30
—nigra	Dark American Arborvitae	
1½-2 ft.		1.50
2-2½ ft.		2.50
2½-3 ft.		2.75
3-3½ ft.		3.00
3½-4 ft.		3.50
4-4½ ft.		4.00
4½-5 ft.		4.50
—pyramidalis	Pyramidal Arborvitae	
2½-3 ft.		2.50
3-3½ ft.		3.00
4-4½ ft.		4.00
4½-5 ft.		4.50
5-6 ft.		5.00
6-7 ft.		6.00
7-8 ft.	each	7.00
—rosenthali	Rosenthal's Arborvitae	
3-3½ ft.		3.50
orientalis aurea nana		
	Berckman's Golden Arborvitae	
12-15 in.		1.60
15-18 in.		2.00
1½-2 ft.		2.50
plicata (lobbi)	Giant Arborvitae	
3-3½ ft.		3.50
12-14 ft.	each	20.00
TSUGA canadensis	Canadian Hemlock	
1½-2 ft.		2.50
2-2½ ft.		3.00
2½-3 ft.		4.00
3-3½ ft.		5.00
4-5 ft.		8.00
5-6 ft.	each	10.00
6-7 ft.	each	14.00
carolinianum	Carolina Hemlock	
1½-2 ft.		2.50
VACCINIUM corymbosum	Highbush Blueberry	
2-3 ft. B & B		2.00
3-4 ft. B & B		3.00
VIBURNUM acerifolium	Mapleleaf Viburnum	
3-4 ft.		.80
carlesii	Fragrant Viburnum	
2-2½ ft. B & B		3.00
2½-3 ft. B & B		3.50
dentatum	Arrowwood	
3-4 ft.		.80
lantana	Wayfaring Tree	
4-5 ft.		1.20
lentago	Nannyberry	
4-5 ft.		1.20
setigerum (theiferum)	Tea Viburnum	
3-4 ft. B & B		2.00
WEIGELA Newport Red		
2-3 ft.		.60

FOR SEASHORE PLANTING

<i>Amelanchier canadensis</i>	<i>Downy Shadblow</i>
<i>Aronia arbutifolia</i>	<i>Red Chokeberry</i>
<i>Aronia melanocarpa</i>	<i>Black Chokeberry</i>
<i>Berberis thunbergi atropurpurea</i>	<i>Red Japanese Barberry</i>
<i>Betula populifolia</i>	<i>Gray Birch</i>
<i>Ilex glabra</i>	<i>Inkberry</i>
<i>Ilex opaca</i>	<i>American Holly</i>
<i>Ligustrum ibota</i>	<i>Ibota Privet</i>
<i>Ligustrum ibota regelianum</i>	<i>Regal Privet</i>
<i>Myrica carolinensis</i>	<i>Northern Bayberry</i>
<i>Nyssa sylvatica</i>	<i>Tupelo or Sour Gum</i>
<i>Picea pungens Kosteri</i>	<i>Koster's Blue Spruce</i>
<i>Pieris mariana</i>	<i>Staggerbush</i>
<i>Pinus thunbergi</i>	<i>Japanese Black Pine</i>
<i>Viburnum dentatum</i>	<i>Arrowwood</i>
<i>Viburnum lentago</i>	<i>Nannyberry</i>

BERRY-BEARING TREES and SHRUBS

Red Berries

<i>Aronia arbutifolia</i>	<i>Red Chokeberry</i>
<i>Berberis koreana</i>	<i>Korean Barberry</i>
<i>Berberis thunbergi atropurpurea</i>	<i>Red-leaf Japanese Barberry</i>
<i>Cornus florida</i>	<i>White Flowering Dogwood</i>
<i>Cornus florida rubra</i>	<i>Red Flowering Dogwood</i>
<i>Cornus kousa</i>	<i>Kousa Dogwood</i>
<i>Cornus mas</i>	<i>Cornelian Cherry</i>
<i>Cotoneaster adpressa praecox</i>	
<i>Cotoneaster franchetti</i>	
<i>Cotoneaster salicifolia</i>	<i>Willowleaf Cotoneaster</i>
<i>Crataegus cordata</i>	<i>Washington Thorn</i>
<i>Ilex opaca</i>	<i>American Holly</i>
<i>Nyssa sylvatica</i>	<i>Tupelo or Sour Gum</i>
<i>Taxus</i>	<i>Yew</i>
<i>Viburnum lantana</i>	<i>Wayfaring Tree</i>
<i>Viburnum setigerum (theiferum)</i>	<i>Tea Viburnum</i>

White Berries

<i>Myrica carolinensis (gray)</i>	<i>Northern Bayberry</i>
<i>Symphoricarpos racemosus</i>	<i>Snowberry</i>

Orange Berries

<i>Euonymus yedoensis</i>	<i>Chinese Euonymus</i>
<i>Sorbus aucuparia</i>	<i>European Mountain Ash</i>

Black Berries

<i>Amelanchier canadensis</i>	<i>Downy Shadblow</i>
<i>Aronia melanocarpa</i>	<i>Black Chokeberry</i>
<i>Ilex crenata</i>	<i>Japanese Holly</i>
<i>Ilex crenata convexa</i>	<i>Boxleaf Japan Holly</i>

Blue and Blue-Black Berries

<i>Ligustrum ibota</i>	<i>Ibota Privet</i>
<i>Ligustrum ibota regelianum</i>	<i>Regal Privet</i>
<i>Vaccinium corymbosum</i>	<i>Highbush Blueberry</i>
<i>Viburnum acerifolium</i>	<i>Mapleleaf Viburnum</i>
<i>Viburnum dentatum</i>	<i>Arrowwood</i>
<i>Viburnum lentago</i>	<i>Nannyberry</i>

EVERGREEN CONIFERS

<i>Abies veitchii</i>	<i>Pinus montana mugus</i>
<i>Chamaecyparis obtusa nana</i>	<i>P. strobus</i>
<i>C. pisifera aurea</i>	<i>P. thunbergii</i>
<i>C. pis. plumosa</i>	<i>Pseudotsuga douglasii</i>
<i>C. pis. plum. aurea</i>	<i>Retinospora</i>
<i>Juniperus chin. columnaris</i>	(see <i>Chamaecyparis</i>)
<i>J. chin. pfitzeriana</i>	<i>Taxus bacc. repandens</i>
<i>J. excelsa stricta</i>	<i>T. cuspidata in variety</i>
<i>J. horizontalis Bar Harbor</i>	<i>Thuja occidentalis in variety</i>
<i>J. hor. plumosa</i>	<i>T. orientalis aurea nana</i>
<i>J. squamata meyeri</i>	<i>T. plicata (lobbi)</i>
<i>Picea excelsa</i>	<i>Tsuga canadensis</i>
<i>P. pungens kosteri</i>	<i>T. carolinianum</i>
<i>Pinus jeffreyi</i>	

BROAD LEAVED EVERGREENS

<i>Azalea kaempferi fedora</i>	<i>Kalmia latifolia</i>
<i>A. poukhanensis</i>	<i>Leucothoe catesbaei</i>
<i>Buxus sempervirens</i>	<i>Pieris floribunda</i>
<i>Cotoneaster franchetti</i>	<i>P. japonica</i>
<i>C. salicifolia</i>	<i>Rhododendron carolinianum</i>
<i>Ilex crenata</i>	<i>R. catawbiense</i>
<i>I. cren. convexa (bullata)</i>	<i>R. maximum</i>
<i>I. opaca</i>	<i>R. hybrids in variety</i>

DECIDUOUS TREES AND SHRUBS

<i>Acer platanoides</i>	<i>Leucothoe racemosa</i>
<i>Aesculus pavia rubra</i>	<i>Ligustrum ibota</i>
<i>Amelanchier canadensis</i>	<i>L. ibota regelianum</i>
<i>Aronia arbutifolia</i>	<i>Lonicera ledebourii</i>
<i>A. melanocarpa</i>	<i>Malus in variety</i>
<i>Azalea calendulacea</i>	<i>Myrica carolinensis</i>
<i>A. mollis</i>	<i>Nyssa sylvatica</i>
<i>A. pontica</i>	<i>Philadelphus coronarius</i>
<i>A. vaseyi</i>	<i>P. grandiflorus</i>
<i>Berberis koreana</i>	<i>P. virginalis</i>
<i>B. thun. atropurpurea</i>	<i>Pieris mariana</i>
<i>Betula alba pendula youngi</i>	<i>Prunus glandulosa rosea fl. pl.</i>
<i>B. populifolia</i>	<i>Prunus persica atropurpurea</i>
<i>Blueberries, hybrid varieties</i>	<i>P. serrulata</i>
<i>Cercis canadensis</i>	<i>P. subhirtella pendula</i>
<i>Cornus florida</i>	<i>P. triloba plena</i>
<i>C. florida rubra</i>	<i>Sorbus aucuparia</i>
<i>C. kousa</i>	<i>Spirea arguta</i>
<i>C. mas</i>	<i>Spiraea bum. Anthony Waterer</i>
<i>Cotoneaster adpr. praecox</i>	<i>S. prunifolia plena</i>
<i>Crataegus cordata</i>	<i>S. thunbergii</i>
<i>C. oxyacantha pauli</i>	<i>S. van Houttei</i>
<i>Cydonia japonica</i>	<i>Symphoricarpos racemosus</i>
<i>Deutzia gracilis</i>	<i>Syringa chin. saugeana</i>
<i>D. lemoinei</i>	<i>S. persica</i>
<i>Enkianthus campanulatus</i>	<i>S. vulgaris</i>
<i>Euonymus yedoensis</i>	<i>S. hybrids in variety</i>
<i>Fagus sylvatica</i>	<i>Vaccinium corymbosum</i>
<i>Forsythia int. spectabilis</i>	<i>Viburnum acerifolium</i>
<i>Franklinia alatamaha</i>	<i>V. carlesii</i>
<i>Ginkgo biloba</i>	<i>V. dentatum</i>
<i>Gleditsia tria. inermis</i>	<i>V. lantana</i>
<i>Halesia tetrapetra</i>	<i>V. lantago</i>
<i>Hypericum moserianum</i>	<i>V. setigerum (theirerum)</i>
<i>Kerria jap. pleniflora</i>	<i>Weigela Newport Red</i>
<i>Kolkwitzia amabilis</i>	

VINES

Lonicera jap. halliana

INDEX OF COMMON NAMES

Almond	6	Honeysuckle	5
Andromeda	5	Juniper	4
Arborvitae	11	Kerria	4
Arrowwood	11	Laurel	4
Azalea	1, 2	Leucothoe	4
Barberry	2	Lilac	7
Bayberry	5	Maidenhair Tree	3
Beauty Bush	4	Maple	1
Beech	3	Mimosa	1
Birch	2	Mountain Ash	7
Blueberry	2, 11	Mock Orange	5
Boxwood	2	Nannyberry	11
Bridal Wreath	7	Peach, Flowering	6
Buckeye	1	Pine	5
Cherries	2	Plum, Flowering	6
Cherry, Flowering	6	Privet	4
Chokeberry	1	Quince, Flowering	3
Cornelian Cherry	3	Redbud	2
Cotoneaster	3	Rhododendron	6
Crabapples	5	Shadblow	1
Cypress	2	Silverbell	4
Deutzia	3	Snowberry	7
Dogwood	2, 3	Sour Gum	5
Enkianthus	3	Spirea	7
Euonymus	3	Spruce	5
Fir	1, 6	Staggerbush	5
Forsythia	3	Sweetbells	4
Franklinia	3	Thorn	3
Gold-FLOWER	4	Tupelo	5
Hawthorn	3	Viburnum	11
Hemlock	11	Wayfaring Tree	11
Holly	4	Weigela	11
Honeylocust	4	Yew	7, 8, 9, 10

MEMO

MEMO

